

2 INCH 3 GANG CYLINDER MOLDS

Cement Test Equipment 2 inch diameter, 4 inch long, 3 gang cylinder molds are made in accordance to ASTM C31, C39, and C192. The molds may be used in pressurized or non-pressurized water baths. The molds are cast and machined from high quality brass in the USA. Non-corrosive, stainless steel bolts, top and bottom covers are ultra durable and will last a very long time with proper handling and maintanence. Each set of molds produces three 2 inch diameter, 4" long cylindrical specimens. Each set contains two halves, a top and a bottom plate which can be dissassembled after a test, cleaned and then reassembled. Thin grooves are milled onto one side of the top plate to allow fluid pressure penetration into the specimen. The molds are designed primarily to lay flat however the top plate may be turned over to block fluid penetration into the sample allowing the molds to be oriented in any direction without cement pouring out. Optional stainless steel bucket available for water/oil separation testing requirements.

SPECIFICATIONS		
Number of Specimens	Weight	Overall Dimensions
3	6lbs(2.7kg)	7.5"Long x 3.75"Wide x 7"Tall; (19cm x 9.5cm x 17.8cm)

WARRANTY

All CTE products are covered by a full one-year warranty against defect in materials and workmanship. A sales terms, conditions, and warranty statement is included with each quotation or confirmation of order.

PART # 05-0114







CEMENT TEST EQUIPMENT, INC.